

AVP 700

Volvo Penta
Mecc Alte
D+ &



ISO8528

GC,) &

SZUTEST

GC - \$\$\$



2000/14/EC

&\$\$\$#(#

z) \$ z' z' D:

	"	kw	"	kw	Amp
400/230	700,00	560,00	636,00	508,80	918,00

fP GDE

GC,) &

,) & z

fDF DE

%\$1

% %&

GC" \$(**

z&(

GC

Standard Specifications

z

fl

!

E

z

z

ALTERNATOR

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

AVP 700

Volvo Penta
Mecc Alte
D+' &'



1

Manufacturer		Volvo Penta
Model		TWD1643GE
		613,00 kw [834,00HP]
	L	16,120
	"	144x165
		16,5:1
	fl # 7	"# " 1500
	fl 7	L 48,00
		L 128,00
AbsorbedAirDischargeReSourceKey.Text	' # "	46,96
	' # "	600,00
		24 V d.c.
		+) I
		95,60


2

		Mecc Alte
		ECO40 2L/4
	Hz	50
	"	670,00
7cg		0,80
		3
	fl 7	400/230
	A	967,00

3

AVP 700	4315,00	3537,00	1550,00	2253,00	
MS 85		5297	1606	2656	1000

4 D+' &'



AVP 700

Volvo Penta
Mecc Alte
D+ &



1

'8G9ž '+' &\$ž
) 5ž&&\$#&(\$

2

3

4

'8G9 '+' &\$ ž
&&\$ ž ž
" '8G9 '+' &\$ ž
'8G9 '+' &\$ ž
ž ž
% &I '* (ž
žFG&' &žFG(,) ž
ž

AVP 700

Volvo Penta
Mecc Alte
D+ &



f@z@Bl
f@z@Bl

"z" "z"

f@z@Bl

971

#

#

#

#



f&%) +L

f&)(, L

f&%) \$L

6G'9B '*\$-\$)'

6G'9B '*%\$\$\$!*!&

6G'9B '*%\$\$\$!*!(

#



ž

%, !&*(

ž
&(\$)

ž

ž


GA 8

!&+""

ž

AVP 700

Volvo Penta
Mecc Alte
D+ &



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set.
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 in front and back side special large access doors for easy maintenance
- 9 Base frame -fuel tank.
- 10 Lifting points similar to ISO container , located on each top corner of the canopy
- 11 the canopy provides easy access to radiator cap.
- 12 sound proofing materials
- 13 Plastic air intake pockets.

	"	1606
fl "L	"	5297
fl "L	"	2656
	L	1000